

PURCHASE ORDER

KALARAVA ENTERPRISES PRIVATE LIMITED

No 8, Khatha No 54/3, 7thCross

1st Main Road, Nagadevanahalli Kengeri

Bangalore - 560056


Mobile: +91 9880674759

E-Mail :kalaravaent@gmail.com

Vendor/ Supplier/Developer Connectivity IT Solutions Pvt Ltd # 1877, 3rd Floor, "Gangothri", 31st Cross, 10th Main, Banashankari 2nd Stage, Bangalore - 560070 Contact Name : Manjunath C Contact No : +91 7619132899		PO NO: :125/25-26 PO Date :09.01.2026 Quote Ref No: CS-SQ-BLR-2025-26-000001 Quote Date: 09.01.2026				
Bill to: KALARAVA ENTERPRISES PRIVATE LIMITED No 8, Khatha No 54/3, 7thCross 1st Main Road, Nagadevanahalli Kengeri Bangalore - 560056 GST No: 29AAHCK7040G1ZF Contact Name : Dharmakanth Contact No : +91 9880674759		Ship Location : KALARAVA ENTERPRISES PRIVATE LIMITED # 113- G2 Farah Winford Infantry Road -Shivajinagar Bangalore-560001 Contact Name : Vikas Contact No : 9663630654				
SI No.	Particulars	Unit	Qty	Rate	Amount	Remarks
1	Samsung 65" Interactive display, 4K, Android 14, 8GB RAM, 64GB storage, 15Wattsx2 speakers -Model WA65F	Each	1.00	75000.00	75,000.00	
Sub-Total (Excl tax)					75,000.00	
<u>Add tax</u>						
SGST 9% ON 100% OF TOTAL VALUE					6,750.00	
CGST 9% ON 100% OF TOTAL VALUE					6,750.00	
Grand Total (Incl tax)					88,500.00	
Rounded off					88,500.00	
Amount in words : Rupees Eighty Eight Thousand Five Hundread Only						

Yours faithfully,

For Kalarava Enterprises Pvt. Ltd.

 . S.V.

Authorised Signatory


For KALARAVA

General Terms and Conditions:

1. Please send two copies of your invoice.
2. Enter this order in accordance with the prices, terms, delivery method, and specifications listed above.
3. Please notify us immediately if you are unable to ship as specified.
4. Payment terms : Advance payment

TERMS AND CONDITIONS

- 1 The supplier has understood the requirement and aware of the technical parameters as per BOQ.
- 2 The description of work shall be strictly as per tender
- 3 Payment terms: Advance
- 4 Warranty -OEM Standard
- 5 Delivery -1-2 Week from date PO
- 6 Freight - No Freight Charges as delivery location Bangalore
- 7 Warranty Support -To be provided by OEM (as per their SLA / purchase service level).
- 8 Product Manuals Manuals are integrated with the electronic help system or as per OEM standard. (attached with PO)
- 9 Damage In transit All goods are insured in transit. Buyer will inspect the goods immediately on arrival thereof and will, within 2 days from the date of arrival give the notice of any damage/loss in transit found in the goods. If the Buyer fails to give such notice, goods will be deemed to be in order and no claim from the Buyer will be entertained thereafter.



Interactive Display

WAF Series

Unlimited learning possibilities

The WAF Series is your new interactive display that delivers captivating educational experiences. Its familiar and intuitive Android OS interface comes powered by a processor that guarantees smooth performance, intelligent AI processing, and detailed graphics. Access a world of pre-installed tools and interactive educational apps to boost productivity and usher in a new era of learning.

Tap into the updated tools to engage and collaborate with multiple students in real-time, allowing for customisable learning environments that create a shared, yet personal, learning experience.

Key features



Powered by Android & EDLA Certification

The WAF Series, powered by Android OS, offers a similar and customisable environment. Google EDLA certification promotes interactive learning with various pre-installed and downloadable Google services.



Powerful Performance

A powerful octa-core CPU delivers smooth performance across any application. It's easy to do more at once, render detailed 4K graphics, and tap into the power of AI with reliable performance.



Annotation On

A simple press of the always-visible "Annotation" button lets users take notes anytime without interruptions, even with visuals on the screen. It makes collaborating and engaging during lessons more seamless and less intrusive.



Split Note Mode

The upgraded Note app allows multiple students to use the whiteboard at once. Up to 4 students can work in their zones without affecting others, fostering collaboration and individual learning.



Quick Access Controls

The WAF includes front-facing physical controls for quick access to frequently used functions. These intuitive controls allow users to operate the interactive display more efficiently, enhancing the overall user experience.



Device Management Solution

A device management solution is essential to advancing educational environments, and the WAF series optimizes remote management whiteboard settings and apps, guaranteeing efficient and stable operation in any learning environment.

The cloud-based DMS solution is supported free of charge for one year. Pricing policy is subject to change. For further details, connect with your account manager. The WAF series provides an on-prem DMS solution so customers can select a solution suitable for the local network where the products are installed.

Specifications

WAF					
Model		WA65F		WA75F	
Panel	Diagonal Size	1m 65cm	1m 90cm	2m 18cm	
	Type	Direct, 60Hz	Direct, 60Hz	Direct, 60Hz	Direct, 60Hz
Display	Resolution	3840 x 2160 (Landscape)	3840 x 2160 (Landscape)	3840 x 2160 (Landscape)	3840 x 2160 (Landscape)
	Brightness (Typ.)	400cd/m ²	400cd/m ²	400cd/m ²	400cd/m ²
	Contrast Ratio (Typ.)	1,200:1	1,200:1	1,200:1	1,200:1
	Viewing Angle (H/V)	178:178	178:178	178:178	178:178
	Haze	25%	25%	25%	25%
	Response Time (G-to-G)	8ms	8ms	8ms	8ms
Sound	Dynamic C/R	4000:1	4000:1	4000:1	4000:1
Connectivity	Speaker Type	Built-in Speaker (15W x 2CH)	Built-in Speaker (15W x 2CH)	Built-in Speaker (15W x 2CH)	Built-in Speaker (15W x 2CH)
	Input	Video	HDMI 2 (Rear1, Front1) USB C (Front), OPS	HDMI 2 (Rear1, Front1) USB C (Front), OPS	HDMI 2 (Rear1, Front1) USB C (Front), OPS
	Input	Audio	1 (Stereo Mini Jack)	1 (Stereo Mini Jack)	1 (Stereo Mini Jack)
	Input	USB	4 (2.0 x 2, 3.0 x 2)	4 (2.0 x 2, 3.0 x 2)	4 (2.0 x 2, 3.0 x 2)
	Output	Video	HDMI Out (Rear)	HDMI Out (Rear)	HDMI Out (Rear)
	Output	Audio	1 (Stereo Mini Jack)	1 (Stereo Mini Jack)	1 (Stereo Mini Jack)
	Internal	Touch Out	Touch Out 2 (Front1, Rear1)	Touch Out 2 (Front1, Rear1)	Touch Out 2 (Front1, Rear1)
	External	Sensor	Eco Sensor	Eco Sensor	Eco Sensor
	External	Control	Touch Input RS232C In, RJ45 In	Touch Input RS232C In, RJ45 In	Touch Input RS232C In, RJ45 In
	BT/Wi-Fi	Yes (Keyboard / Mouse)	Yes (Keyboard / Mouse)	Yes (Keyboard / Mouse)	Yes (Keyboard / Mouse)
Touch	Wi-Fi Protocol	Wifi 5 (802.11ac)	Wifi 5 (802.11ac)	Wifi 5 (802.11ac)	Wifi 5 (802.11ac)
	Ethernet speed	1GBPS	1GBPS	1GBPS	1Gbps
	Type	IR	IR	IR	IR
	# of Touch	40 points	40 points	40 points	40 points
	Touch Pen Type	Passive Pen	Passive Pen	Passive Pen	Passive Pen
	Object Recognition Range	Front Pen: 3mm Back Pen: 8mm Eraser: ≥9cm ²	Front Pen: 3mm Back Pen: 8mm Eraser: ≥9cm ²	Front Pen: 3mm, Back Pen: 8mm, Eraser: ≥9cm ²	Front Pen: 3mm, Back Pen: 8mm, Eraser: ≥9cm ²
Power	Object Recognition Range (Minimum)	2mm	2mm	2mm	2mm
	Touch Response Time	≤5ms	≤5ms	≤5ms	≤5ms
	Drawing Speed (Touch latency)	≤45ms	≤45ms	≤45ms	≤45ms
	Thickness	3.2T	3.2T	3.2T	3.2T
	Type	Internal	Internal	Internal	Internal
Mechanical	Power Supply	AC100-240V 50/60Hz	AC100-240V 50/60Hz	AC100-240V 50/60Hz	AC100-240V 50/60Hz
	Max [W/h]	409 W/h	450 W/h	450 W/h	493 W/h
	Power Consumption	172 W/h (IEC62087 / EnergyStar : 137 W/h)	209 W/h (IEC62087 / EnergyStar : 137 W/h)	209 W/h (IEC62087 / EnergyStar : 137 W/h)	177 W/h, (IEC62087/EnergyStar : 179.3 W/h)
Design	BTU	0.5 W/h	0.5 W/h	0.5 W/h	0.5
	Dimension (mm)	Set 1m 48cm x 89cm x 8.77cm Package 1m 64cm x 1m 01cm x 18.5cm	Set 1m 71cm x 1m 03cm x 8.69cm Package 1m 84cm x 1m 12cm x 18.5cm	Set 1m 96cm x 1m 17cm x 8.77cm Package 2m 09cm x 1m 26cm x 0.18cm	Set 1m 96cm x 1m 17cm x 8.77cm Package 2m 09cm x 1m 26cm x 0.18cm
	Weight (kg)	36.2kg	49.2kg	62.5 kg	74.1 kg
	Set	44.5kg	58.8kg	800 x 600	800 x 600
	Protection Glass	600 x 400	800 x 400	Yes	Yes
	VESA Mount	Yes	Yes	VESA Wallmount	VESA Wallmount
	Stand Type	VESA Mount	VESA Mount	OPS Slot	OPS Slot
	Media Player Option Type	OPS Slot	OPS Slot	Landscape only	Landscape only
	Rotation	Landscape only	Landscape only	3m	3m
	Power Cable Length	3m	3m	Black	Black
Design	Bezel Colour	Black	Black	0°C~40°C	0°C~40°C
Operation	Operating Temperature	0°C~40°C	0°C~40°C	10~80%	10~80%
Feature	Humidity	10~80%	10~80%	10~80%	10~80%
	Key	Android 14 OS with EDLA Certified	Android 14 OS with EDLA Certified	Android 14 OS with EDLA Certified	Android 14 OS with EDLA Certified
	Orientation	Landscape	Landscape	Landscape	Landscape
	H/W	Touch Overlay (IR), Front Connectivity, OPS I/F Support, Eco Sensor, Wi-Fi/BT embedded	Touch Overlay (IR), Front Connectivity, OPS I/F Support, Eco Sensor, Wi-Fi/BT embedded	Touch Overlay (IR), Front Connectivity, OPS I/F Support, Eco Sensor, Wi-Fi/BT embedded	Touch Overlay (IR), Front Connectivity, OPS I/F Support, Eco Sensor, Wi-Fi/BT embedded
	S/W	First Screen Android Home Launcher Playstore, Chrome, YouTube, Google Drive, Note app, Screenshare, Finder, etc.	Android Home Launcher Playstore, Chrome, YouTube, Drive, Note app, Screenshare, Finder, etc.	Android Home Launcher Playstore, Chrome, YouTube, Drive, Note app, Screenshare, Finder, etc.	Android Home Launcher Playstore, Chrome, YouTube, Drive, Note app, Screenshare, Finder, etc.
	Apps	Yes	Yes	Yes	Yes
	WebRTC	Yes	Yes	Yes	Yes
	Screen Share	Yes	Yes	Yes	Yes
	Processor	Octacore (A73 x 4 + A53 x 4)	Octacore (A73 x 4 + A53 x 4)	Octacore (A73 x 4 + A53 x 4)	Octacore (A73 x 4 + A53 x 4)
	Internal Player (Embedded H/W)	RAM 8GB Storage 64GB Operating System Android14	RAM 8GB Storage 64GB Operating System Android14	RAM 8GB Storage 64GB Operating System Android14	RAM 8GB Storage 64GB Operating System Android14
Certification	Safety	IEC62368-1 / UL62368-1 / IEC60950-1 / IS13252	IEC62368-1 / UL62368-1 / IEC60950-1 / IS13252	IEC62368-1 / UL62368-1 / IEC60950-1 / IS13252	IEC62368-1 / UL62368-1 / IEC60950-1 / IS13252
	EMC	FCC CFR Title 47, Part15, Subpart B / EN55032:2015+A11:2020	FCC CFR Title 47, Part15, Subpart B / EN55032:2015+A11:2020	FCC , Part 15, Subpart B / EN55032:2015+A11:2020	FCC , Part 15, Subpart B / EN55032:2015+A11:2020
	Environment	Energy star	Energy star	Energy star	ENERGY STAR
	Security	WFA / WPA / WPA2 / WPA3 personal / WPS2.0	WFA / WPA / WPA2 / WPA3 personal / WPS2.0	WFA/WPA/WPA2/WPA3 personal / WPS2.0	WFA/WPA/WPA2/WPA3 personal / WPS2.0
Accessories	Included	Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black), USB Cable, Warranty / QSG	Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black), USB Cable, Warranty / QSG	Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black), USB Cable, Warranty / QSG	Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black), USB Cable, Warranty / QSG

About Samsung India Electronics Pvt. Ltd.

Samsung India Electronics Pvt. Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the world of TVs, smartphones, wearable devices, tablets, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit Samsung Newsroom at <https://news.samsung.com/in>

Smart Signage

For more information about Samsung Education Display Solution, visit <https://www.samsung.com/in/business/>

Copyright © 2025 Samsung India Electronics Pvt. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All third party brand, product, service names and logos are trademarks and/or registered trademarks of their respective third party owners and are hereby recognized and acknowledged.

Please dispose of e-waste and plastic responsibly. Customers can WhatsApp on 1800 5 7267864 for information on e-waste/plastic waste pick up.